

PROFESSIONAL

GELATO

KATE

PROFESSIONAL GELATO SHOWCASE



Ventilated



Auto. Defrosting



Temperature -16~-18°C







Environmental Condition +30°C / 60%RH

TECHNICAL SPECIFICATIONS AND PRODUCT RANGE

AESTHETIC AND FRAMEWORK

- Electrically heated tempered coated glass
- Opening front glass, from down to top
- LED lighting system on the ceiling, energy-saving and durability
- Customized panel (RAL color and logo optional)
- Pans and barrel optional

PANS MODEL	G6	G8	G9	G12
 PANS SIZE:325*176*65h GN 1/3 PANS SIZE:325*176*100h GN 1/3	10	16	16	22
 PANS SIZE:325*265*65h GN 1/2 PANS SIZE:325*265*100h GN 1/2	6	10	10	14
 PANS SIZE:360*165*120h	12	16	18	24



TECHNOLOGY

- Cooling system with hermetic compressor for incorporated air-cooling condensing units
- Electronic check panel with digital thermometer and thermostat
- Automatic defrosting
- With wheels and feet, easy to move and fix.

Model	Dimensions L*W*H (mm)	Working temp (°C)	Weight (Net / Gross)(Kg)	Voltage V/Ph/Hz	Input power (W)
KATE G6	1192*1075*1236	-16°C~-18°C	230/330	230/1/50	1174
KATE G8	1615*1075*1236	-16°C~-18°C	280/400	230/1/50	1304
KATE G9	1692*1075*1236	-16°C~-18°C	340/480	230/1/50	1435
KATE G12	2192*1075*1236	-16°C~-18°C	450/600	400/3/50	2261

Create happiness for
your business life



QINGDAO CLABO EASYBEST REFRIGERATION EQUIPMENT CO.,LTD.

TEL: +86-532-55677991
Free Service Call
400-069-6799

Service Hotline: +86-15969849257
E-mail: info@qdeasybest.com
[Http://www.qdeasybest.com](http://www.qdeasybest.com)
[Http://easybestcn.1688.com](http://easybestcn.1688.com)

No.2 Ronghai Road
Jihongtan Street,Chengyang
District ,Qingdao Shandong,
China 266109



EasyBest官网



EasyBest客户之家